

Studio Freestanding Gas

Studio 1 Freestanding

Product Code	CF/BF	Fuel Effect	Lining	Fuel Type	Heat Input (kW)	Heat Output (kW)	Efficiency	Energy Efficiency Class	
⊗ 508-147	Black	CF	Logs	Black Glass	Nat. Gas	6.30	4.10	72%	E
⊗ 508-589	Black	CF	Logs	Black Glass	LPG	6.90	4.60	72%	E
⊗ 508-199	White	CF	Logs	Black Glass	Nat. Gas	6.30	4.10	72%	E
⊗ 508-606	White	CF	Logs	Black Glass	LPG	6.90	4.60	72%	E

Studio 1 Freestanding - Log Effect, Balanced Flue

⊗ 508-248	Black	BF	Logs	Black Glass	Nat. Gas	6.30	5.20	92%	A
⊗ 508-597	Black	BF	Logs	Black Glass	LPG	6.30	5.30	92%	A
⊗ 508-151	White	BF	Logs	Black Glass	Nat. Gas	6.30	5.20	92%	A
⊗ 508-488	White	BF	Logs	Black Glass	LPG	6.30	5.30	92%	A

Studio 1 Freestanding - Pebble & Stone, Conventional Flue

⊗ 508-077	Black	CF	Peb & Stone	Black Glass	Nat. Gas	6.30	4.10	72%	E
⊗ 508-517	Black	CF	Peb & Stone	Black Glass	LPG	6.90	4.60	72%	E
⊗ 508-366	White	CF	Peb & Stone	Black Glass	Nat. Gas	6.30	4.10	72%	E
⊗ 508-615	White	CF	Peb & Stone	Black Glass	LPG	6.90	4.60	72%	E

Studio 1 Freestanding - Pebble & Stone, Balanced Flue

⊗ 508-396	Black	BF	Peb & Stone	Black Glass	Nat. Gas	6.30	5.20	92%	A
⊗ 508-699	Black	BF	Peb & Stone	Black Glass	LPG	6.30	5.30	92%	A
⊗ 508-175	White	BF	Peb & Stone	Black Glass	Nat. Gas	6.30	5.20	92%	A
⊗ 508-510	White	BF	Peb & Stone	Black Glass	LPG	6.30	5.30	92%	A

Studio 1 Freestanding - Driftwood, Conventional Flue

⊗ 508-045	Black	CF	Driftwood	Black Glass	Nat. Gas	6.30	4.10	72%	E
⊗ 508-440	Black	CF	Driftwood	Black Glass	LPG	6.90	4.60	72%	E
⊗ 508-066	White	CF	Driftwood	Black Glass	Nat. Gas	6.30	4.10	72%	E
⊗ 508-479	White	CF	Driftwood	Black Glass	LPG	6.90	4.60	72%	E

Studio 1 Freestanding - Driftwood, Balanced Flue

⊗ 508-057	Black	BF	Driftwood	Black Glass	Nat. Gas	6.30	5.20	92%	A
⊗ 508-465	Black	BF	Driftwood	Black Glass	LPG	6.30	5.30	92%	A
⊗ 508-117	White	BF	Driftwood	Black Glass	Nat. Gas	6.30	5.20	92%	A
⊗ 508-502	White	BF	Driftwood	Black Glass	LPG	6.30	5.30	92%	A

Additional Lining Sets

923-010	Studio 1 Conventional Flue - Vermiculite Lining Set
923-517	Studio 1 Conventional Flue - Black Reeded Lining Set
923-433	Studio 1 Balanced Flue - Vermiculite Lining Set
923-607	Studio 1 Balanced Flue - Black Reeded Lining Set

Plinth & Bench Mounting Choice (Required)

999-022	Studio 1 Freestanding Plinth - Black
999-035	Studio 1 Freestanding Plinth - White
999-101	Studio 1 Freestanding Bench - Black
999-114	Studio 1 Freestanding Bench - White

Accessories

999-620	Remote System Mains Adaptor
---------	-----------------------------



Studio 2 Freestanding conventional flue with Black front and matching bench, Pebble & Stone fuel bed and optional Vermiculite lining

Studio 2 Freestanding

Product Code	CF/BF	Fuel Effect	Lining	Fuel Type	Heat Input (kW)	Heat Output (kW)	Efficiency	Energy Efficiency Class	
Studio 2 Freestanding - Log Effect, Conventional Flue									
⊗ 508-094	Black	CF	Logs	Black Glass	Nat. Gas	8.50	6.90	81%	C
⊗ 508-426	Black	CF	Logs	Black Glass	LPG	8.50	6.90	81%	C
⊗ 508-187	White	CF	Logs	Black Glass	Nat. Gas	8.50	6.90	81%	C
⊗ 508-418	White	CF	Logs	Black Glass	LPG	8.50	6.90	81%	C

Studio 2 Freestanding - Log Effect, Balanced Flue

⊗ 508-027	Black	BF	Logs	Black Glass	Nat. Gas	8.50	7.00	92%	A
⊗ 508-444	Black	BF	Logs	Black Glass	LPG	8.00	6.80	92%	A
⊗ 508-102	White	BF	Logs	Black Glass	Nat. Gas	8.50	7.00	92%	A
⊗ 508-640	White	BF	Logs	Black Glass	LPG	8.00	6.80	92%	A

Studio 2 Freestanding - Pebble & Stone, Conventional Flue

⊗ 508-207	Black	CF	Peb & Stone	Black Glass	Nat. Gas	8.50	6.80	81%	C
⊗ 508-651	Black	CF	Peb & Stone	Black Glass	LPG	8.50	6.80	81%	C
⊗ 508-282	White	CF	Peb & Stone	Black Glass	Nat. Gas	8.50	6.80	81%	C
⊗ 508-750	White	CF	Peb & Stone	Black Glass	LPG	8.50	6.80	81%	C

Studio 2 Freestanding - Pebble & Stone, Balanced Flue

⊗ 508-033	Black	BF	Peb & Stone	Black Glass	Nat. Gas	8.50	7.00	92%	A
⊗ 508-527	Black	BF	Peb & Stone	Black Glass	LPG	8.00	6.80	92%	A
⊗ 508-322	White	BF	Peb & Stone	Black Glass	Nat. Gas	8.50	7.00	92%	A
⊗ 508-508	White	BF	Peb & Stone	Black Glass	LPG	8.00	6.80	92%	A

Studio 2 Freestanding - Driftwood, Conventional Flue

⊗ 508-201	Black	CF	Driftwood	Black Glass	Nat. Gas	8.50	6.80	81%	C
⊗ 508-498	Black	CF	Driftwood	Black Glass	LPG	8.50	6.80	81%	C
⊗ 508-303	White	CF	Driftwood	Black Glass	Nat. Gas	8.50	6.80	81%	C
⊗ 508-581	White	CF	Driftwood	Black Glass	LPG	8.50	6.80	81%	C

Studio 2 Freestanding - Driftwood, Balanced Flue

⊗ 508-171	Black	BF	Driftwood	Black Glass	Nat. Gas	8.50	7.00	92%	A
⊗ 508-562	Black	BF	Driftwood	Black Glass	LPG	8.00	6.80	92%	A
⊗ 508-382	White	BF	Driftwood	Black Glass	Nat. Gas	8.50	7.00	92%	A
⊗ 508-655	White	BF	Driftwood	Black Glass	LPG	8.00	6.80	92%	A

Additional Lining Sets

923-337	Studio 2 Conventional Flue - Vermiculite Lining Set
923-744	Studio 2 Conventional Flue - Black Reeded Lining Set
923-938	Studio 2 Balanced Flue - Vermiculite Lining Set
923-476	Studio 2 Balanced Flue - Black Reeded Lining Set


Plinth & Bench Mounting Choice (Required)

999-048	Studio 2 Freestanding Plinth - Black
999-087	Studio 2 Freestanding Plinth - White
999-127	Studio 2 Freestanding Bench - Black
999-166	Studio 2 Freestanding Bench - White

Accessories

999-620	Remote System Mains Adaptor
---------	-----------------------------

Studio Freestanding Gas Dimensions (mm)



All sizes in mm

	A	B	C	D	E	F	G	H	I	J	K	L
Studio 1 Freestanding on Bench	896	396	CF: 148 BF: 160	910	1150	CF: 43 BF: 65	130	324	442	130	650	-
Studio 2 Freestanding on Bench	896	396	CF: 148 BF: 160	1110	1350	CF: 43 BF: 65	130	324	442	130	850	-
Studio 1 Freestanding on Plinth	649	396	CF: 148 BF: 160	910	1105	CF: 43 BF: 65	130	324	195	130	650	485
Studio 2 Freestanding on Plinth	649	396	CF: 148 BF: 160	1110	1305	CF: 43 BF: 65	130	324	195	130	850	485

Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear 2" (50mm).

The above information is to assist in your choice of a suitable Gazco stove. This is not intended to be all the information required to install your stove. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com

Balanced Flue Gas Stove Systems

The Gazco Balanced Flue system means no chimney is not a problem if you opt for a balanced flue gas stove, as it draws combustion air from outside through its concentric pipe systems. A full range of optional flue components is available to suit configurations shown on page 66.

Gazco have specifically developed a range of flue system components to complement your balanced flue stove. Crafted from 304 grade stainless steel and aluminium with some items additionally offered in anthracite and matt ivory paint finishes. Designed with ease of installation and flexibility in mind, these flue systems simply push together without the requirement for locking bands or screws. Both the inner and outer pipes are secured with easy fit, self locking, high temperature silicone seals. For further information, please speak to your retailer or visit www.gazco.com.



Components for Balanced Flue Models

Basic Stainless Steel Kits	Product Code
Rear exit, horizontal - complete with terminal guard	8526
Top exit, up & out, stoves	8523
Top exit, up & out, F670	8534
Top exit, up & out, Vision Medium	8509
Top exit, vertical	8524
45° offset bend (set of two) for use with 8524	8530
Top exit vertical, Huntingdon 30, Stockton 5, Vision Midi & Vogue	999-539

Basic Anthracite Steel Kits*	Product Code
Top exit, up & out, stoves	8523AN
Top exit, up & out	8534AN
Top exit, up & out, Vision Medium & F670	8509AN
Top exit, vertical	8524AN
45° offset bend (set of two) for use with 8524AN	8530AN
Top exit vertical, Huntingdon 30, Stockton 5, Vision Midi & Vogue	999-539AN

Basic Matt Ivory Steel Kits*	Product Code
Top exit, up & out, stoves	999-111
Top exit, vertical	999-301
Top exit vertical, Huntingdon 30 & Stockton 5	999-224
45° offset bend (set of two) for use with 999-301	999-148

Additional Stainless Steel components for top exit (as required)	Product Code
200mm straight (effective length 140mm)	8527
500mm straight (effective length 440mm)	8528
1000mm straight (effective length 940mm)	8529
364-554mm adjustable straight	999-062
15° bend	999-003
30° bend	999-016
45° bend	8507
90° bend	8508
Horizontal flue terminal (wall)	999-105
Vertical flue terminal (roof)	999-141
Fixed wall support	999-072
Adjustable wall support	999-130
External wall finishing plate	999-235


Additional Matt Ivory Steel components for top exit (as required)	Product Code
200mm straight (effective length 140mm)	999-357
500mm straight (effective length 440mm)	999-372
1000mm straight (effective length 940mm)	999-391
15° bend	999-051
30° bend	999-067
45° bend	999-172
90° bend	999-284

Terminal Guards	Product code
Rear exit	999-159
Horizontal exit	999-201

Aquaseal Flashings	Product code
125-175mm Aluminium Base EPDM Black to 115°C	FXQ-052
150-300mm Aluminium Base EPDM Black to 115°C	FXQ-053
150-200mm Lead Base EPDM Black to 115°C	FXQ-054
150-250mm Sq Section EPDM Black to 115°C	FXQ-058
150-250mm Sq Section/Metal EPDM Black to 115°C	FXQ-059
EPDM Flashing Fixing Kit	FXQ-059SK

Lead Flashings	Product code
Flat Lead Flashing	999-154
30-40 Degree Lead Flashing	999-161
40-50 Degree Lead Flashing	999-174
45-50 Degree Lead Flashing	999-182
45-50 Degree Ridge Flashing	999-193

Additional Components	Product code
Roof Support Balanced Flue	999-032
Fire Stop Balanced Flue	999-040
Storm Collar Balanced Flue	999-046R



Additional Cast Iron components for top exit	Product Code
Flue collar, Matt Black	8548
Flue collar, Midnight Blue	8548MB
Flue collar, Laurel Green	8548LG
Flue collar, Ivory	8548IV
Flue collar, Matt Ivory	999-433

Additional Anthracite Steel components for top exit (as required)	Product Code
200mm straight (effective length 140mm)	8527AN
500mm straight (effective length 440mm)	8528AN
1000mm straight (effective length 940mm)	8529AN
15° bend	999-031
30° bend	999-078
45° bend	8507AN
90° bend	8508AN

*Note: Terminal lengths are stainless steel.

The above information is to assist in your choice of a suitable Gazco stove. This is not intended to be all the information required to install your stove.

This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com.

Stove Benches

These versatile steel benches are compatible with the Gas Loft, Gas and Electric Vision, Gas Riva2 F670 and Vogue Stoves. With five widths and two heights, they offer greater design possibilities to accommodate your individual styling requirements.

Design Features

- Sturdy steel construction
- Choice of five widths and two heights
- Durable matt black finish
- Proportioned 60mm wide legs
- Allows for central or offset stove positioning

Product Code	Product	W (mm)	H (mm)	D (mm)
RVACLB45BHT	45 Low bench	450	250	420
RVACB45BHT	45 High bench	450	350	420
RVACLB100BHT	100 Low bench	1000	250	420
RVACB100BHT	100 High bench	1000	350	420
RVACLB120BHT	120 Low bench	1200	250	420
RVACB120BHT	120 High bench	1200	350	420
RVACLB140BHT	140 Low bench	1400	250	420
RVACB140BHT	140 High bench	1400	350	420
RVACLB180BHT	180 Low bench	1800	250	465
RVACB180BHT	180 High bench	1800	350	465



Gazco is a member of the Stovax Group which manufactures and distributes many other high quality fireplace products:



Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

www.amara.com; www.furniturevillage.co.uk; www.lauraashley.com; www.faginsantiques.com; www.theorangerie.co.uk; www.habitat.co.uk; www.houseoffraser.co.uk; www.ashorejewellery.co.uk; www.eclectique.co.uk; www.debenhams.com; www.next.co.uk; www.mokodirect.co.uk; www.marksandspencer.com; www.rocketsttstgeorge.co.uk; www.frenchconnection.com; www.wayfair.co.uk; www.urbanoutfitters.com/uk; www.tkmxx.com; www.homesense.com; www.johnlewis.com; www.coxandcox.co.uk; www.urbanara.co.uk; www.amosighting.co.uk; www.stovax.com; www.farmington.co.uk; www.bnsp.co.uk; www.grandisson.com; www.rudloe-stone.com; www.beechbros.co.uk; www.originalstyle.com; www.heavitreeradio.co.uk; www.stbridgetnurseries.co.uk; www.easyart.com; www.woofenden.com; www.amtico.com; www.opiesuk.co.uk; www.graceandgloryhome.co.uk; www.chunkymonkeyfurniture.co.uk; www.wallsandfloors.co.uk

Have you considered woodburning?

Many of the stoves in this brochure are also available as woodburning and multi-fuel versions. These advanced solid fuel stoves feature the latest cutting-edge combustion systems, for superb flame visuals and heating performance.





Sheraton 5 woodburning Ecodesign stove, with Stovax Cavendish Bolection Limestone Mantel

Stovax, our solid fuel division, offer a huge range of beautiful stoves that burn wood and other solid fuels. Designed and engineered here in the U.K, these appliances offer a natural and practical home heating solution.

State of the art airflow systems ensure these airtight products burn wood and other fuels with high efficiency and low emissions, and we are proud to offer the largest range of solid fuel stoves approved for use in towns and cities in the UK and Ireland.

Choose from a stunning range of modern and traditional styles in various sizes and heat outputs to suit your home. For more details speak with your local retailer or visit www.stovax.com.

STOVAX
Fire Your Imagination





Gas Huntingdon 30 with tracery door and log-effect in Ivory enamel



Gazco Limited

Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG
 Tel: 01392 261999 Fax: 01392 444148
 E-mail: info@gazco.com • www.gazco.com



A member of the Stovax Group

To view & download our complete range of brochures,
 simply scan this code or visit www.gazco.com



Find Your Retailer

You can find your nearest retailer by
 visiting www.gazco.com/find-a-retailer



Your Gazco stockist:	£3.00
	